
CLEVER CLASSIC LAMINATE

Stylish real timber look designs, resilience and affordability





Clever Laminate Classic Gloss (W164mm x H1213mm)





Technical Laminate

Specifications	Classic Gloss	Classic Matt
Board Size (W x L)	164mm x 1213mm	196mm x 1215mm
Thickness	12mm	12mm
Pack Size	1.5915m ²	1.667m ²
Boards per Pack	8 boards	7 boards
Finish	Gloss	Matt
Texture	Smooth	Embossed
Grade & Colour Variation	7 pattern repeat	6 pattern repeat
Profile	Clever click - dropend	Clever click - dropend
Stability/Density	850kg/m ³	850kg/m ³
Construction	HDF Core & waxed edges	HDF Core & waxed edges
Raft Size (W x L)	8m x 12m	8m x 12m
Installation Method	Floating	Floating
Perimeter Gap & Coverage - min	10-12mm	10-12mm
Floor Level over 2m	2mm	2mm
Edge Profile	Rolled Bevel	Micro Bevel
Direct UV & Heat Protection	High 4 hours	High 4 hours
Under Floor Heating	Yes 21°C - 27°C	Yes 21°C - 27°C
Climate & Environment Control	Medium	Medium
Wear Resistance Layer*	Residential - AC3	Residential - AC3
Scratch Resistance	High	High
Certifications		
Fire Rated	Yes	Yes
Slip Rated	P2	P2
Emission Compliant	E1	E1
Acoustic Compliant	Yes	Yes
Residential Warranty*	30 years	30 years
Commercial Warranty*	5 years	5 years



Featured photographs are printed reproductions and should only be used as a guide, indication, or point of reference. Before making a purchasing decision always inspect actual samples at your nearest retailer. Colour and appearance can vary. Whilst every effort is taken to ensure the information presented is accurate and free from error, it is possible that some data may change without notice.

Specifications are subject to manufacturing tolerances and may be changed without prior notice. * Please refer to our website www.cleverchoice.com.au for warranty terms and conditions, product installation guidelines, care and maintenance guides, or to download product test reports. These documents are also available from your place of purchase.

* All floor surfaces do require regular cleaning to remove dirt, grit, dust, sand, and other debris that could result in scratching and excessive wear. UV rays from direct sunlight can cause a change in colour, so rearranging rugs and keep sun-filtering blinds/curtains closed can prevent direct sunlight on the floor. This is not due to product failure and is not covered by the warranty.







