

# CLEVER HYDRO

*A modern day evolution in high performance flooring*



✓ Quality   ✓ Style   ✓ Value

*Fashion in flooring*



Nashville



# Clever Hydro XL Collection



Alaska 960201 (embossed)



Hawaii 960202 (embossed)



Miami 960203 (embossed)



Helena 960204 (embossed)



Lincoln 960205 (embossed)



Kansas 960206 (embossed)



New York 960207 (embossed)



Nashville 960208 (embossed)



Cleveland 960209 (embossed)



Black Magic 960210 (embossed)



Antique Teak 960211 (smooth)



Aqua Brushbox 960212 (smooth)



Aqua Blackbutt 960213 (smooth)



Aqua Spotted Gum 960214 (smooth)



Cleveland

Board Size W x L x H

235mm x 1830mm x 12mm

Finish: Matt

Texture: Embossed/Smooth

*Matching Scotia & Stairnosing  
available*



Quality Style Value

Fashion in flooring



# Technical Hydro

Specifications	XL
Board Size (W x L)	235mm x 1830mm
Thickness	12mm
Pack Size	2.151m <sup>2</sup>
Boards per Pack	5 boards
Finish	Matt
Texture	Embossed/Smooth
Grade & Colour Variation	5 pattern repeat
Profile	Clever Click
Stability/Density	950kg/m <sup>3</sup>
Construction	Hydro Core
Raft Size (W x L)	12m x 20m
Installation Method	Floating
Perimeter Gap & Coverage - min	8mm - 10mm
Floor Level over 2m	2mm
Moisture Protection	96 hours
Direct UV & Heat Protection	High 4 hours
Under Floor Heating	Yes 21°C - 27°C
Climate & Environment Control	Medium
Wear Resistance Layer*	High Residential - AC4
Scratch Resistance	High
Certifications	
Fire Rated	Yes
Slip Rated	P2
Emission Compliant	E1
Acoustic Compliant	Yes
Residential Warranty*	30 years
Commercial Warranty*	8 years (Light Commercial)



Featured photographs are printed reproductions and should only be used as a guide, indication, or point of reference. Before making a purchasing decision always inspect actual samples at your nearest retailer. Colour and appearance can vary. Whilst every effort is taken to ensure the information presented is accurate and free from error, it is possible that some data may change without notice.

Specifications are subject to manufacturing tolerances and may be changed without prior notice. \* Please refer to our website [www.cleverchoice.com.au](http://www.cleverchoice.com.au) for warranty terms and conditions, product installation guidelines, care and maintenance guides, or to download product test reports. These documents are also available from your place of purchase.

\* The appearance and performance of Clever Hydro Floors is not affected by exposure to water for up to 96 hours. Sustained exposure to water may damage boards and cause subfloor mould and mildew to grow. This is not due to failure of the product and is not covered by the product warranty. Do not use steam mops.





Ultimate dimensional stability

More stable than laminate floors

Child, Pet and Allergy Friendly

UV resistant surface layer

Superior scratch resistance

Durable and hard-wearing

Evolutionary Hydro Core

EIR for the real timber look

Easy installation

Easy to clean and maintain

Peace of mind

Scotia and Stairnoses to match

Trims & Accessories to suit



*Clever Hydro*

atfa

MEMBER

Australasian  
Timber Flooring  
Association

[www.atfa.com.au](http://www.atfa.com.au)



Miami

t 07 5526 7399  
e [sales@cleverchoice.com.au](mailto:sales@cleverchoice.com.au)  
[www.cleverchoice.com.au](http://www.cleverchoice.com.au)

